

### Key:

StrataBit Capsheet



StrataBase Underlay



## StrataTherm Insulation



## StrataVap Air & Vapour Control Layer

## Construction Notes:


Installation and testing of mansafe anchor system must be carried out by trained and qualified personnel in strict accordance with manufacturers installations instruction using the correct fixing method.

Apply the specified cap sheet to the anchor ensuring that is fully bonded, sealed onto the base plate, lapped and fully sealed onto the main area as indicated.

The system build-up and application should adhere to the STRATA issued specification.

All surfaces must be clean, dry, and suitably prepared to accept the waterproofing system.

All details must be installed in accordance with the most up to date NHBC Standards, BS8217 & BS6229 regulations and STRATA recommendations.



**Drawing Title:** Mansafe Anchor System

**Drawing Number:** SB-T0-W28

Drawn By: E.V.

© 020 02020 2024 | 5: technical@strategic-intelligence.com | [www.strategic-intelligence.com](http://www.strategic-intelligence.com)

**T:** 028 9030 2924 | **E:** [technical@stratawaterproofing.com](mailto:technical@stratawaterproofing.com) | **W:** [www.stratawaterproofing.com](http://www.stratawaterproofing.com)

Copyright Reserved - Please note that this drawing and the copyright therein is the property of Strata Waterproofing Systems and is issued on the understanding that the drawing or any detail thereof will not be divulged to a third party unless written permission is first obtained from Strata Waterproofing Systems. The drawing is valid only when approved by the

from Strata Waterproofing Systems. The drawing is valid only when approved by the Architect / Contractor concerned.  
This detail is representative of a typical situation and provided for illustration purposes.  
Insulation thickness shown may differ in accordance with the specified U-value requirement.